



UNITED STATES - EAST COAST
RHODE ISLAND - CONNECTICUT - NEW YORK

**BLOCK ISLAND SOUND
AND APPROACHES**

SOUNDINGS IN FEET
AT MEAN LOWER LOW WATER

MASSACHUSETTS
Scale 1:50,000 (N. 44, 47)
North American Datum of 1983
(World Geodetic System 1984)

LORAN-C GENERAL EXPLANATION

LORAN-C FREQUENCY 1000K
PULSE REPESSION INTERVAL 9999
STATION TYPE DESIGNATIONS (See instruction sheet for details)
M - Main Station
S - Secondary Station
Z - Zebra Station

CAUTION
LORAN-C FIXES ARE NOT TO BE USED FOR FIXING POSITION IN STRAITS, CHANNELS, AND OTHER AREAS WHERE SHIP'S POSITION MUST BE KNOWN TO WITHIN A FEW FEET.

CAUTION
LORAN-C FIXES ARE NOT TO BE USED FOR FIXING POSITION IN STRAITS, CHANNELS, AND OTHER AREAS WHERE SHIP'S POSITION MUST BE KNOWN TO WITHIN A FEW FEET.

CAUTION
LORAN-C FIXES ARE NOT TO BE USED FOR FIXING POSITION IN STRAITS, CHANNELS, AND OTHER AREAS WHERE SHIP'S POSITION MUST BE KNOWN TO WITHIN A FEW FEET.

RATES ON THIS CHART

NOTE A
The National Ocean Service maintains hydrographic soundings in feet at Mean Lower Low Water (MLLW). The soundings are based on the National Vertical Datum of 1983 (NVD 83). The datum is based on the mean lower low water of the tide at the location of the sounding.

NOTE B
The 12-nautical-mile territorial sea was established by Proclamation 2863, October 3, 1945, under the authority of the U.S. Constitution. The 12-nautical-mile territorial sea is bounded by a line which extends from the baseline of the United States to a distance of 12 nautical miles in all directions.

NOTE C
The 3-nautical-mile contiguous zone was established by Proclamation 2863, October 3, 1945, under the authority of the U.S. Constitution. The 3-nautical-mile contiguous zone is bounded by a line which extends from the baseline of the United States to a distance of 3 nautical miles in all directions.

CAUTION
Only named obstructions have been called out for surface use. Limitations on the use of certain obstructions are indicated by the letters L, S, and H. L - Light, S - Signal, H - Hazard. Obstructions are shown by their true bearing to the vessel and their true distance.

CAUTION
Temporary changes of objects in place or location are not indicated on this chart. See Notices to Mariners.

CAUTION
Changes in water depth or other hydrographic data are not indicated on this chart. See Notices to Mariners.

CAUTION
Changes in the position of objects are not indicated on this chart. See Notices to Mariners.

COLLECTOR REPORTS
Report all wrecks of great importance to the U.S. Coast Guard. Report all wrecks of moderate importance to the U.S. Coast Guard. Report all wrecks of minor importance to the U.S. Coast Guard.

CAUTION
Report all wrecks of great importance to the U.S. Coast Guard. Report all wrecks of moderate importance to the U.S. Coast Guard. Report all wrecks of minor importance to the U.S. Coast Guard.

CAUTION
Report all wrecks of great importance to the U.S. Coast Guard. Report all wrecks of moderate importance to the U.S. Coast Guard. Report all wrecks of minor importance to the U.S. Coast Guard.

Name	Type	TECHNICAL INFORMATION			
		Height above Mean Low Water (ft)	Depth below Mean Low Water (ft)	Material	Remarks
Point Judith Light	Light	34.4	0.1	1.0	
Point Judith Light	Light	3.2	0.0	0.1	
Point Judith Light	Light	2.8	0.0	0.1	
Point Judith Light	Light	2.9	0.1	1.0	
Point Judith Light	Light	3.1	0.0	0.1	
Point Judith Light	Light	3.1	0.0	0.1	

